

## NFZ-800

# Sales@noflyzonelaser.com for more information

#### **Product description:**

**NoFlyZone** auto laser units are a highly effective way of deterring birds from large areas. These are setup to automatically cover an area from a central point or one side of an area. These lasers pan and tilt over an area which is set as required. Saving time, money and labour, a cost effective bird deterrent system.

#### Specifications:

• Model Number: NFZ-800

Laser class: 3B

Laser output power: 499mwLaser wavelength: 532nm

Rotation: 350°

• Tilt: 20° downward, 90° upward

• IP Rating: IP65

•Operating Temperature: -5°F to 104°F

• Preset positions: 80

• Modes: Sequence & Random

•Laser coverage distance in sunlight: up to 820 Feet\*

Area covered: up to 37 Acres in daylight\*

 Package includes: Birdzout auto laser unit, controller with keypad and joystick, emergency stop switch, power supplies for mains and 12v connections.

•Warranty: 12 months against manufacturer defect

• Expected lifespan: 10,000 hours

•Unit Weight: 6.6 lbs

•Unit Dimensions: 5.5 x 5.5 x 9.8 in

• Packaged Weight: 11 lbs


• Packaged Dimensions: 17 x 10.2 x 17 in



#### Recommended Use:

Usetodetermostbirds species from a variety of areas including: crops, vineyards, orchards, pond areas, building rooftops, upper perch areas of warehouses and other large buildings. Not recommended for use in the direct vicinity of people, particularly in areas of unrestricted access.

\*Laser coverage is a guide only and can vary by application and bird species.



### NFZ-300

# Sales@noflyzonelaser.com for more information

#### Product description:

**NoFlyZone** auto laser units are a highly effective way of deterring birds from large areas. These are setup to automatically cover an area from a central point or one side of an area. These lasers pan and tilt over an area which is set as required. Saving time, money and labour, a cost effective bird deterrent system.

#### Specifications:

Model Number: NFZ-300

Laser class: 3B

Laser output power: 80mwLaser wavelength: 532nm

Rotation: 350°

• Tilt: 20° downward, 90° upward

• IP Rating: IP65

•Operating Temperature: -5°F to 104°F

• Preset positions: 80

• Modes: Sequence & Random

Laser coverage distance in sunlight: up to 328 Feet\*

Area covered: up to 7 acres in daylight\*

• Package includes: Birdzout auto laser unit, controller with keypad and joystick, emergency stop switch, power supplies for mains and 12v connections.

•Warranty: 12 months against manufacturer defect

Expected lifespan: 10,000 hours

•Unit Weight: 6.6 lbs

•Unit Dimensions: 5.5 x 5.5 x 9.8in

• Packaged Weight: 11lbs

Packaged Dimensions: 17 x 10.2 x 17in



#### Recommended Use:

Used to deter most bird species from a variety of areas, including: crops, vineyards, orchards, pond areas, building rooftops, upper perch areas of warehouses and other large buildings. Not recommended for use in the direct vicinity of people, particularly in areas of unrestricted access.

\*Laser coverage is a guide only and can vary by application and bird species.



## NFZ-1350

## Sales@noflyzonelaser.com for more information

#### **Product description:**

**NoFlyZone** auto laser units are a highly effective way of deterring birds from large areas. These are setup to automatically cover an area from a central point or one side of an area. These lasers pan and tilt over an area which is set as required. Saving time, money and labour, a cost effective bird deterrent system.

#### Specifications:

• Model Number: NFZ-1350

Laser class: 3B

Laser max output power: 499mwLaser wavelength: 510-532 nm

Rotation: 360°

• Tilt: 90° downward, 90° upward

• IP Rating: IP66

• Operating Temperature: -4°F to 131°F

• Preset positions: 250 per zone (up to 10 zones)

Modes: Sequence, Random & Boundary

Laser coverage distance in sunlight: up to 1,312 Feet\*

Area covered: up to 37 acres in daylight\*

 Package includes: Birdzout auto laser unit; control box with: emergency stop switch, power monitor, LED, laser & power connections; leads; carry case

•Warranty: 24 months against manufacturer defect

• Expected lifespan: 20,000+ hours

•Unit Weight: 17.6 lbs

•Unit Dimensions: 13.8 x 9.8 x 9 in

• Packaged Weight: 33 lbs

• Packaged Dimensions: 22 x 13.8 x 9 in

# lintial absorbing

#### Recommended Use:

Use to deter mostbirds species and some animals, from a variety of areas including: crops, vineyards, orchards, pond areas, building rooftops, upper perch areas of warehouses and other large buildings. Not recommended for use in the direct vicinity of people, particularly in areas of unrestricted access.

\*Laser coverage is a guide only and can vary by application and bird species.